

MATERIAL SAFETY DATA SHEET



MastaGrip

1 OF 3

MARCH 2007 ISSUE 4

1 IDENTIFICATION OF THE MATERIAL & SUPPLIER

PRODUCT NAME: MastaGrip
OTHER NAMES: MastaGrip Stud Adhesive, Grip, Stud Adhesive
RECOMMENDED USE: Used in bonding plasterboard to metal and timber studs
SUPPLIER NAME: LAFARGE PLASTERBOARD, 31 Military Road, Matraville, NSW, 2036
1300 724 505 Monday - Friday [6am - 6pm]
Emergency Contact National Poisons Centre 13 11 26

2 HAZARDS IDENTIFICATION

Not classified as hazardous according to the criteria of NOHSC Australia
Not classified as a dangerous good by the criteria of the ADG Code
RISK PHRASE: May cause irritation to the eyes, skin and respiratory system
SAFETY PHRASE: Do not breathe dust. Avoid contact with eyes and skin

3 INFORMATION ON INGREDIENTS

CHEMICAL ENTITY	CAS NUMBER	PROPORTION
Acrylic Copolymer	Proprietary	20-60%
Calcium Carbonate	1317-65-3	20-60%
Medium Aliphatic Petroleum	64742-88-7	0-1%
Biocide	2634-33-5	0-1%

4 FIRST AID MEASURES

SWALLOWED: Wash mouth out with water. If actual ingestion has occurred, drink plenty of water and seek medical attention.
EYE: Flush with plenty of clean water. Seek medical attention.
SKIN: Wash with warm soapy water.
INHALED: Recover in fresh air. If discomfort persists seek medical attention.
ADVICE TO DOCTOR: Treat symptomatically.

5 FIRE FIGHTING MEASURES

No fire or explosion hazard exists. Fire fighters to wear self-contained breathing apparatus.





MastaGrip

2 OF 3

MARCH 2007 ISSUE 4

6 ACCIDENTAL RELEASE MEASURES

SPILLS: Sweep up and place in waste containers.
PRECAUTIONS FOR
CLEAN-UP CREW: Avoid creating excessive dust. Wear Class P1 or P2 respirator.

7 HANDLING AND STORAGE

STORAGE: Store in a dry well-ventilated environment fully protected from the weather.
HANDLING : Use safe work practices to avoid eye and skin contact and inhalation.

8 PERSONAL PROTECTION

EXPOSURE STANDARDS:
Calcium Carbonate: 10 mg/m³ TWA as inhalable dust.
Dust NOS (not otherwise specified): 10 mg/m³ TWA (time weighted average) as inhalable dust.
ENGINEERING CONTROLS:
Use with adequate ventilation. Work areas should be cleaned regularly by sweeping or vacuuming.
PERSONAL PROTECTIVE EQUIPMENT:
Use rubber gloves to avoid skin contact if product causes irritation. Use safety glasses especially when applying to ceiling.

9 PHYSICAL PROPERTIES

APPEARANCE: Pink paste
ODOUR: Low odour
BOILING POINT: Not applicable
VAPOUR PRESSURE: Not applicable
SPECIFIC GRAVITY: Approx. 1.4
SOLUBILITY IN WATER: Completely dispersible
FLAMMABILITY: Non-flammable in paste form

10 STABILITY AND REACTIVITY

Stable under normal storage conditions. Only the dried residue will burn in the presence of an ignition source. Store away from incompatible materials.

MATERIAL SAFETY DATA SHEET



MastaGrip

3 OF 3

MARCH 2007 ISSUE 4

11 TOXICOLOGICAL INFORMATION: LOW TOXICITY

ACUTE

SWALLOWED: Unlikely under normal conditions of use, but swallowing this product may cause nausea and vomiting.

EYE: Dust from this product may irritate the eyes, causing watering and redness.

SKIN: Prolonged skin contact will cause irritation of the skin.

INHALED: Use in well ventilated areas.

CHRONIC No known long term effects.

12 ECOLOGICAL INFORMATION

Avoid contaminating drains and waterways.

13 DISPOSAL CONSIDERATIONS

For any unused product empty into waste containers. Dispose in accordance with local authority regulations. Contact local waste disposal authority.

14 TRANSPORT INFORMATION

Not regulated for transport purposes.

HAZCHEM CODE: None allocated

15 REGULATORY INFORMATION

No poison schedule number has been allocated.

16 OTHER INFORMATION

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Lafarge Plasterboard Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.